iClassifier





This research is done in the framework of:

ARCHAEOMIND LAB

The Archaeology of the mind

Team

Prof. Orly Goldwasser
Dr. Dmitry Nikolaev
Halely Harel (PhD Candidate)
+iClassifier contributers from
universities
all around the world

#cognitivearchaeology
#classifierstudies









Welcome to iClassifier

In the last year we have developed at The Hebrew University, a new project

*i*Classifier

A digital platform for classifier analysis

Our team:



Prof. Orly Goldwasser Halely Harel





Dr. Dmitry Nikolaev

The *i@lassifier* prototype was developed for Egyptian Hieroglyphs as a sample corpus.




i Classifier


https://www.iclassifier.pw/

A NEW DIGITAL TOOL FOR THE ANALYSIS OF CLASSIFIER SCRIPTS AND LANGUAGES

Monday July 1st- Thursday July 4th, 2019 – The Hebrew University of Jerusalem



iClassifier sample



B


A digital interactive mapping of classifier categories

- \$\Box\$ Each classifier appears inside a square.
- \$\text{\tin}\text{
- Lemmata are linked with orange lines to a classifier.
- ♥ Classifiers that co-occur multiple classification appear with a grey line.
 In Egyptian a host may appear with more than one classifier.
- Width of lines represents the number of attestation in our corpus. If the line is thicker, there are more occurrences.


Corpus based classifier lists

Allowing to Identify patterns:

- → Collocations
- → Inverse correlation
- → Multiple classification- hierarchy and sequence
- → Category structure





Often, in ancient Egyptian multiple classification for A single host



iClassifier sample

CILOUD







LEMMA

A published dictionary entry (Preferably a digital dictionary TLA, Ramses etc.)

TOKEN

An analysis of a certain example
Only obligatory part is Manuel-deCodage and classifier marking,
All other levels of analysis are
not mandatory



WITNESS

CLASSIFIER ANALYSIS

- *Classifier sequence automatic tagging of sequence e.g. 1/1 or 3/5.
- *Classifier combination
- *Level of classification
- *Type of relation between classifier meaning and host word.
- * Detailed metadata by THOT thesauri.
- * Images of source inscription

Polis, S., and V. Razanajao. 2016. "Ancient Egyptian Texts in Context. Towards a conceptual data model (The THOT Data Model—TDM)." *Bulletin of the Institute of Classical Studies* 59/2: 24-41.

i@lassifier input forms

Inserting LEMMA

1 . .

Select lemma	ect lemma		
<< Show previous Show next >>>			
Transliteration:*	Source:* Hoch 1994		
šrm	Select source		
Meaning:*	Pages:*		
to lay down (arms), seek	407		
Transliteration:	Source: TLA		
Srm	Select source		
Meaning:	Pages:		
to lay down arms; to seek p	156790		
	Remove variant		

'Classifying the Other': input forms Meaning D-stem "to Source: Hoch 1994 Pages, nos. Lemma editor Select source Discussion Select lemma Tokens Remove cognate <<< Show previous Show next >>> Witnesses Language Cognate Old Aramaic, Imp Aram., TA Transliteration: Source:* Hoch 1994 Meaning Bibliography Select source D-stem 'to recompe Source: Hoch 1994 Pages, nos. Meaning: Pages:* Select source to lay down (arms), seek Discussion Transliteration: Source: TLA Language Cognate Select source Meaning: Pages: Meaning to lay down arms; to seek p 156790 D-stem 'to hand over', 'to gi Pages, nos. Remove variant Select source + Add variant Lexical field: Remove cognate Social and politica ▼ Language Cognate Secondary lexical field: Old South Arabian Meaning 'to sue for peace Demotic meaning: Demotic: Source: Hoch 1994 Pages, nos. Select source Discussion Demotic lexicon entry: Pages: Select source Remove cognate Coptic: Coptic meaning: Language Cognate Akkadian Coptic lexicon entry: Meaning Pages: "be unharmed" D-stem "to Select source Source: Hoch 1994 Select source Source root: Source meaning: Discussion Remove cognate Cognates Add cognate Contact type: Language Cognate Meaning 'to be healthy', D-stem 'to re Comments: Pages, nos. Source: 15 include nouns and verbs Select source Discussion Remove cognate Remove borrowing info Language Add borrowing info Add bibliographical reference Meaning Comments: Pages, nos. Select source Discussion Save lemma and clear form Remove cognate Save lemma and continue editing

Inserting TOKEN

And Marking classifiers



Select a token for a full description or in order to modify it <<< Show previous Show next >>> 11 (arms), seek peace, greet, do compound: Change lemma Supertext: not set Choose supertext Witness: oTurin 9588/5736 Coordinates in the witness: Change witness Add token pictu (a witness must be selected) Picture ID: 13 TRAIL MDC with markup: SA-A-Z4:r-Z1-m:a-A30-Y1 SA-A-Z4:r-Z1-m:a--A30---Get hieroglyphs
Phonetic reconstructio Copy MDC Refresh classifiers Classification status Classified Not classified Not preserved oken meaning: ask for peace i'wsw h,r p'D wnt r irm n b'wsk Part of speech: Register/texteme: Classifiers K Show Delete Gardiner number: A30 Classifier type: Lexical Derivational Metatextual Phonetic (incl. false Semantic relation: Classifier comments Show Delete Gardiner number: Yt Classifier type: · Lexical Pragmatic Metatextual Phonetic (incl. false etymology) Semantic relation: Classifier comments Comments: Modify entry Delete entry

MARKING CLASSIFIERS

MDC:

SA-A-Z4:r-Z1-m:a-A30-Y1

Get hieroglyphs

MDC with markup:

SA-A-Z4:r-Z1-m:a-~A30~-~

Copy MDC

Refresh classifiers

By marking a classifier with tilde ~CL~

You start your corpus based classifier list


i@lassifier input forms


Causee Absenthee

Delete

Analyzing classifiers







i©lassifier input forms annotating context/cotext, glossing Part of speech:

Marking POS-'Part Of Speech'



Also - linking to a full version of a witness (text) (Ramses, TLA), when available.

Developing a thesaurus for glossing {pr}{house}, {ix-ix} {cl.woman-woman}

+adding classifier glosses automatically for Egyptian

How do we digitize classification?

*Marking each classifier in context.

Analysing the **relation** between each host token and its classifier(s)= **classifier analysis**.

Creating schmatization scheme.

Analysing the **relation** between each host token and its classifier(s)= **classifier analysis**.

A Classifier type

A Classifier level

*Semantic roles

Lassifier type

Defining the relations between a host word and its classifier, following Roschian linguistic categorization/prototype theory. (applied to Egyptian in Goldwasser 2002).

Extension relationship

Taxonomic relations

Taxonomic (superordinate, generic, basic-level)

Metaphoric Repeater Unique

CL- NOUN ANIMAL (CL)- cat


MONKEY (CL)-anger CAT (CL)- cat

Intention relationship

Schematic relations

Meronymic (part-of) (superordinate) Metonymic (superordinate) SCRIBAL-PALETTE (CL)- scr CROWN (CL)- royalty

Semantic roles



After Kammerzell 2015; Lincke 2011.



wh^c.w

Noun

Fowler CL[HUMAN-MALE]

'Fowler' (catcher of birds and fish)




wh^c.w

Noun

 $Fowler \ \mathsf{CL}^{[\mathsf{BIRD}]} \ \mathsf{CL}^{[\mathsf{FISH}]} \ \mathsf{CL}^{[\mathsf{FORCE}]} \ \mathsf{CL}^{[\mathsf{HUMAN-MALE}]}$

'Fowler' (catcher of birds and fish)



Classifier type

Classifier level


Semantic role

wh^c.w

Fowler CL[BIRD] CL[FISH] CL[FORCE] CL[HUMAN-MALE]

'Fowler' (catcher of birds and fish)

Schematic-taxonomic order hypothesis



Classifier type

Classifier level

wh^c.w


Noun


Fowler CL[BIRD] CL[FISH] CL[FORCE] CL[HUMAN-MALE]

'Fowler' (catcher of birds and fish)

Schematic-taxonomic order hypothesis

okens itnesses spertexts bliography





Sample token entry

-Marking semantic relations – verb, root! Studying root classification additinal observations- default, resildual




search and study of variations according to context-e.g. Script, Materiality, Genre metadata

A1 in 11th dynasty

A1 in a certain text





specific "synchronic cuts"



category structure

possible host-words list with quantitative analysis of category structure



multiple classification

Synchrony
Diachrony
Diachrony

location in multiple classification
Inverse correlation
co-occurrence (statistics)



composite classifiers






compound classifiers

diachronic overview The history of A1 as classifier

Possible search of sign 'as classifier' and 'as phonogram/logogram'



Zeichenliste des Wörterburches der ägyptischen Sprache


i@lassifier

Search by lemma

search and study variation

according to context-

Search by materiality:
hieratic, lapidary (royal/non-royal),
by genres: juridical texts, stories, prayers etc.
metadata



specific "synchronic cuts"


e.g. The lemma 'd' in 14th

cen. BCE.

general

"with whom" 'd' "coupable" appears?

lemma's common classifiers, combination knowledge structure around the lexeme, classifier priority, ranking



search by root

see together classification of 'd³ as substantive, adjective and verb

diachronic overview


The history of the lemma's classification and spelling

Ramses orthographies-lemma no. 93930

Jakaltek (Mayan)

Classifier type

Classifier level



'John saw a snake' (Craig 1986: 264)

Jakaltek (Mayan)

Classifier type

Classifier level

schematic (made-of) no7 xanab CL[ANIMAL] sandal lexeme

'the sandal' (Craig 1977: 134)




how do we collect metadata?

Lemmas Compounds Tokens Witnesses Supertexts **Bibliography**

Edit witnesses Select witness Witness name: Nauri decree Select supertext The chosen supertext: Choose the script Choose the object type The chosen script: Hieroglyphs The chosen object type: Wall Select TopBib volume: Choose the text type The chosen text type: Royal Choose the location decree/warrant TopBib ID of the chosen location: 701-060-190 Choose the period (from) Choose the date (from) Choose the period (to) Choose the date (to) The chosen endpoints: not set; The chosen endpoints: Sethos I Menmaatre; Sethos I not set Menmaatre URL: http://ramses.ulg.ac.be/text/legacy/1071?page=35&pageLe Publication: Griffiths Nauri Decree Select source Pages: 193-208 Comments: Remove reference

Add bibliographical reference



Witness= Text

For Ancient Egyptian using THOT data model


For other languages open/closed Thesauri

*Location Preferably map Coordinates.

*date

*genre

*informer



Choosing metadata values using THOT Thesauri and TOPBIB, implemented into iClassifier.



Referencing existing
Editions of texts online
At TLA, Ramses and
other digital publications.

Adding media, linking examples with images

- **d** Marking a token in a witness photo
- **⊘** Marking classifier/s of each token





New classifier!

Adding

Images Videos Audio recordings



Adding written observations, images and references to a 'classifier' page.

A discussion around a classifier category -





Adding to each classifier page source hieratic versions of a sign.

Select token	
Show previous Show next >	>>>
Lemma: Lemma: kp 'palm [o handh' sole [of the food]; abgeschnitte Hande (der Fei Change lemma] Supertext: not set Choose supertext	f the The token is a part of a compound: One of the token is a part of a compound: Order to the supertext coordinates in the supertext
Witness: pTurin 1984 Change witness Add token picture (a witness must be selected)	Coordinates in the witness: v23
Picture ID: 16	
Delete picture MDC: k([0.5.100])"p[(382.453.10] Get hieroglyphs Phonetic reconstruction: Classification status:	MDC with markup: k((0.5.100))**p((382.453.10 Copy MDC Refresh classifiers Transliteration: Sign comments:
Classifiers:	Syntactic relation: ion n(n') and kop a wnny kp 1 Register/texteme: oncular amulelo decree
Gardiner number: D46D Classifier type: t Semantic relation: Classifier comments:	Add classifier picture (a token picture must be selected) Classifier level: # 1 @ 2 @ 3 @ 4 @ 5 @ 6 False etymology: # No @ Yes
	Add classifier picture (a token picture must be selected) Classifier level:
Gardiner number: F51 Classifier type: 6 Semantic relation: Classifier comments:	* 1 0 2 0 3 0 4 0 5 0 6 False ctymology: * No 0 Yes
Classifier type: s Semantic relation:	* 1 0 2 0 3 4 0 5 0 6 False ctymology: * No Ves Add classifier picture (a tokno picture must be selected) Classifier level: 1 0 2 0 3 4 0 5 * 6 False ctymology:

i@lassifier

VERSO

VERSO

PAPYRUS T. 2, VS. 1-25

PAPYRUS T. 2, VS. 1-25

iClassifier project reports

Classifier reports Lemma reports Classifier map Choose a lemma (only lemmata that have at least one token associated with them are shown):

```
kp 'palm (of the hand); sole (of the foot); abges ▼
```

Tokens for lemma kp 'palm (of the hand); sole (of the foot); abgeschnitte Hände (der Feinde)':

- k:p-D46D-F51:Ff1 (D46D, F51, Ff1)
- k:A-p-Ff1-D46D-F51:Ff8A (D46D, F51, Ff8A)
- k{{0,5,100}}**p{{382,453,100}}**Ff1{{1013,471,70}}**D46D{{1284,0,60}}**F51{{1442,606,78}}**Ff100{{1938,673,35}} (D46D, F51, Ff100)
- k:p-Z7-D46D:F51 (D46D, F51)
- k:p-Z7-D46D:F51:Ff8A (D46D, F51, Ff8A)
- k:p-D266:Z2 (D266, Z2)
- k:p-Z7-D46D:F51 (D46D, F51)
- k:p:t-F51-F51-F51 (F51-F51-F51)
- k:p:t-F51-F51-F51 (F51-F51-F51)
- k:p:t-F51-F51-F51 (F51-F51-F51)
- k:p-D46D:Z2 (D46D, Z2)
- k:p-D46D:Z2 (D46D, Z2)
- k:p-D46D:Z2 (D46D, Z2)
- ()
- k:p-F51-F51-F51:Z2 (F51-F51-F51, Z2)
- k:p-Z7-F51-F51-F51 (F51-F51-F51)
- k:p-Z7:Z7-Z2 (Z2)
- k:p-D46D-F51:Ff1 (D46D, F51, Ff1)
- k:p-D266:Z2 ()

Classifier statistics for lemma kp 'palm (of the hand); sole (of the foot); abgeschnitte Hände (der Feinde)':

- D46D (10)
- F51 (7)
- Z2 (6)
- F51-F51-F51 (5)
- Ff1 (2)
- Ff8A (2)
- Ff100 (1)
- D266 (1)

Lemma stats.

Where it appears on a map?

Diachrony of classification?


Goal-


All data points are linked for navigating around

Reaching out — marking of semantic fields

WOLD, CONCEPTICON.

 Assigning semantic fields as comparative concepts to link classifier categories across the world languages.





Now, what could iClassifier do for YOU

Customized visualizations

Creating mapping and classifier categories of

- A certain classifier, lexeme, compound, or text
- Visualization of a synchronic timeframe (e.g. 18th Dynasty, 12th century)
- Diachronic changes classifier, lemma, text, corpus
- Specific information sources = speakers, texts, lects, registers, scripts
- Specific geographical area
- Any other metadata query (e.g. all repeaters in a certain system)

Comparative concepts:


- * Lexical fields
- * Meanings

One system – many datasets

Editing permissions-Lemma, token*, witness, bibliography








iClassifier sample

We will be a solution of the same queries to multiple databases):

The structure is modular: only the "Tokens" table is absolutely necessary for classifier analysis



iClassifier sample

Behind the scenes

Backend (data storage and web server):

SQLite database + Python (a Flask+Gunicorn web stack)

Frontend (websites):

Hand-written JavaScript using jQuery (a general-purpose JavaScript library).

Maps are drawn using the JavaScript library Vis.js and library called JQWidgets for the tree-like menus.

Hieroglyphs are drawn using Serge Rosmorduc's JSesh library (Java). Opensource- Available online via Jetty webserver and Ring middlware, which are is bundled together in a small Clojure program https://github.com/macleginn/jsesh-web

Tools for semi-automatic tagging of CLs

Token- classifier analysis

- * Annotating existing datasets by extracting classification data.
- * Adding CL analysis to your tool and exporting edits and new Items.





We aim to paint the knowledge organization mapping of languages and cultures as they are reflected in their classifier system.

Our tool is based on the careful application of *dynamic* relational pattern recognition.

iClassifier offers a new method to study variation, we do not content ourselves with descriptive collection.

We aim at research for patterns, compatibility and incompatibility rules, and synchronic and diachronic dynamics of language change.




Not a database but an online research platform and collaborative project

Data is open to edits- researchers can contribute (with full credits and citing link), and:

- Comment and discuss entries.
- Write posts about each classifier and include their analysis and observations.

Thank you!

http:// i@lassifier .pw



Contact us -

iclassifierteam@gmail.com

Haleli.harel@mail.huji.ac.il

Orly.Goldwasser@mail.huji.ac.il

References

Bauer, B. L. M. 2017. *Nominal Apposition in Indo-European Its Forms and Functions, and Its Evolution in Latin-Romance*. Berlin – Boston: De Gruyter. Borchers, Dörte. 2008. *A grammar of Sunwar: descriptive grammar, paradigms, texts and glossary*. Leiden: Brill.

Chen, Y. 2016. "The Prototypical Determinatives in Egyptian and Chinese Writing." Scripta 8: 101-126.

Craig, C. (ed.). 1986. Noun Classes and Categorization. Proceedings of a Symposium on Categorization and Noun Classification, Eugene, Oregon, October 1983. Amsterdam & Philadelphia: John Benjamins.

Goldwasser, Orly. 2002. Prophets, Lovers and Giraffes. Wor(l)d Classification in Ancient Egypt. Wiesbaden: Otto Harrassowitz:.

Goldwasser, Orly & Colette Grinevald. 2012. "What Are Determinatives Good For?," in: E. Grossman, St. Polis & J. Winand (eds.), *Lexical Semantics in Ancient Egyptian*. Hamburg: Widmaier, 17–53.

-2014. "At the Crossroad of Gender and Classifiers in Ancient Egyptian." Surrey.

Grinevald, C. 2012. "Appendix" in Goldwasser & Grinevald 2012: 46-51.

-2015. "Classifiers, Linguistics of," in: J. D. Wright (ed.), *International Encyclopaedia of the Social & Behavioral Sciences*. Amsterdam: Elsevier, 1973-1978. Haspelmath, M. & U. Tadmor. (eds.) 2009. *World Loanword Database. (WOLD)* Leipzig: Max Planck Institute for Evolutionary Anthropology. (Available online at https://wold.clld.org/semanticfield/20, Accessed on 2019-02-10.)

Kammerzell, F. 2015. "Egyptian Verb Classifiers," in: P. Kousoulis & N. Lazaridis (eds.), *Proceedings of the Tenth International Congress of Egyptologists*. Rhodes, 22-29 May 2008. Leuven: Peeters, 1395-1416.

Lincke, E.S. & F. Kammerzell 2012. "Egyptian Classifiers at the Interface of Lexical-Semantics and Pragmatics," in: E. Grossman, S. Polis & J. Winand (eds.), Lexical Semantics in Ancient Egypt. Hamburg: Widmaier, 55–112.

Polis, S. & S. Rosmorduc. 2015. "The Hieroglyphic Sign Functions. Suggestions for a Revised Taxonomy." Uljas et al. (eds.) Fuzzy Boundaries. Festschrift für Antonio Loprieno. volume I, 149-174.

Rude, N. 1986. "Graphemic Classifiers in Egyptian Hieroglyphics and Mesopotamian Cuneiform," in: C. Craig (ed.), *Noun Classes and Categorization: Proceedings of a Symposium on Categorization and Noun Classification.* Amsterdam & Philadelphia: John Benjamins Publishing Company, 133-138. Selz, Gebhard J., C. Grinevald and O. Goldwasser. 2017. "The Question of Sumerian Determinatives: Inventory, Classifier Analysis, and Comparison to Egyptian Classifiers," in: D. Werning (ed.) *Proceedings of the Fifth International Conference on Egyptian-Coptic Linguistics (Crossroads V) Berlin, February 17–20, 2016.* Hamburg: Widmaier, 281-344.


Customized visualizations


Creating mapping and classifier categories of:

- A Text
- Specific timeframe
- Place
- Any metadata query

'Classifying the Other': input forms

Lemmas Compounds Tokens Witnesses Supertexts Bibliography






Token editor



Edit witnesses







CL[FISH]CL[BIRD]CL[FORCE] inf.:to fowl

to fowl (catch fish and birds)



twii whi.w cl[BIRD] CL[FISH] CL[ABSTRACT] CL[FORCE] CL[HUMAN] CL[PLURAL]

pron.lsg inf.:to-fowl

1st-Present

'(when) I am fishing'

(pAnastasi IV 12,7.)



$$Wn=in$$
 hm $CL^{[DIVINE]}=f$ $nh-wd^c-snb$ hr $p3$ $CL^{[FEATHER]}$ r $t3$ $p.t$ $CL^{[SKY]}$ $Vb.$ N =suff.pro. prep. inf. prep. def.art.f N and majesty =his LPH flew to the sky

'and his majesty, life prosperity and health, flew to the sky/heaven' (p.d'Orbiney 19,3.)

Jakaltek (Mayan)


```
xil naj xuwan no7 lab'a saw CL<sup>[MAN]</sup> John CL<sup>[ANIMAL]</sup> snake
```

'John saw a snake' (Craig 1986: 264)

Jakaltek (Mayan)

xil naj xuwan no7 lab'a saw CL^[MAN] John CL^[ANIMAL] snake

'John saw a snake' (Craig 1986: 264)




'(his being) bitten by a snake' (Dream book, p.Beatty 3, 7,19a)

Jacaltec (Mayan)

Classifier type

Classifier level





'John saw a snake' (Craig 1986: 264)

Jacaltec (Mayan)

Classifier type

Classifier level





Classifier type




lexical

Schematic (made-of)

Classifier level

'skin' (Faulkner 1972: 274)



cat (Faulkner 1972: 105)



wh^c.w

 $Fowler \ \mathrm{CL}^{[BIRD]} \ \mathrm{CL}^{[FISH]} \ \mathrm{CL}^{[FORCE]} \ \mathrm{CL}^{[HUMAN-MALE]}$

'fowler' (Faulkner 1972: 274)